

**WE
BREATHE
FASTENERS®**




BlackTop catalogue.

pgb-Europe is a wholesaler of fastening systems and hand tools. With our wide and deep range of products, we offer our customers a one stop solution.

Quality by
pgb





BlackTop has it covered

BlackTop coating is a deep black surface treatment with high corrosion resistance, a low layer thickness and an even black gloss effect. It is the ideal surface treatment for those looking for a black finish with high corrosion resistance (500h SST). Should the strong BlackTop be damaged, the underlying zinc layer will continue to protect the material.

Naturally, the BlackTop surface treatment is free of harmful substances and complies with the European REACH and RoHS guidelines.

“Materials with the BlackTop coating guarantee a high corrosion resistance (500h SST) and ensure a beautiful and advanced finish of all your projects.”

Use

The use of black fasteners has gained popularity. That's why we have created the high-quality BlackTop range. After all, products that have been treated with the BlackTop coating can be used for many applications. The most common applications are the installation of blackened hinges, handles and other types of black fasteners.

Advantages

Materials with the BlackTop coating guarantee a high corrosion resistance (500h SST) and ensure a beautiful and advanced finish of all your projects.

Thanks to the progressive performance of BlackTop, including the underlying zinc layer which provides continuous protection when the black top layer is damaged and the integrated wax ensures that the materials will keep fitting, you can enjoy an optimal and long-lasting fixation.

Ideal for outdoor applications

Products with the BlackTop coating are extremely suitable for outdoor applications. Thanks to the corrosion-resistant properties of the coating, fasteners and fixings remain protected against various environmental factors and the elements, such as rain and wind.

With this coating you do not only opt for functionality, but also for a sustainable solution that contributes to the lifespan of your fasteners. In short, with BlackTop you will enjoy the aesthetically pleasing result for longer.

"Products with the BlackTop coating are more durable and ensure that you will enjoy an aesthetically pleasing result."

*Ref. PFETTG003



*Ref. FG0255003

Quality

In addition to the functionalities and performance of the BlackTop coating, the integrated wax offers additional security during mounting and assembly. The combination of the black top layer and the integrated wax ensures that screws, bolts, nuts and wood connectors do not lose their mounting properties. For example, we guarantee that the cutting point of the screws retains its cutting ability and that the assembly of nuts and bolts always can be done smoothly.

"Our coating also contains an integrated wax, ensuring that screws, bolts and nuts can be mounted smoothly."

The highest demands

During a salt spray test, products are being gathered in a close space and are being exposed to a corrosive salt spray, which is more aggressive than the elements. Thanks to this type of test, we are able to say that our BlackTop coating can withstand these aggressive conditions for at least 500 hours, without showing any signs of corrosion.

"...BlackTop, how a coating should protect."



Scan this QR-code
and discover the whole
BlackTop range



FG Wood connectors with BlackTop coating

	FG0233 Cornice bracket 90° p. 10		FG0302 T-strap hinge p. 13
	FG0252 Hinge "Rustica" p. 10		FG0341 Farmer gate latch p. 13
	FG0253 Hinge straight with point p. 10		FG0345 Gate latch p. 13
	FG0254 Shutter hinge T-model p. 11		FG0348 Kick-over latch p. 13
	FG0255 Plate pintle p. 11		FG0349 Shutter catch "shepherdess" p. 14
	FG0256 Pintle for concrete p. 11		FG0353 Slide bolt p. 14
	FG0257 Pintle for bricklaying p. 11		FG0355 Slide bolt for padlock p. 14
	FG0258 Lag screw pintle p. 11		FG0381 Shelf bracket p. 14
	FG0259 Safety pintle p. 12		FG0384 Ornamental shelf bracket p. 15
	FG0260 Plate pintle Rustica p. 12		FG0385 Design shelf bracket p. 15
	FG0265 Adjustable hinge p. 12		
	FG0300 Cross hinge light p. 12		
	FG0301 Cross hinge heavy duty p. 12		

pgb-fasteners® with BlackTop coating

	DIN 125A Washer p. 18		DIN 603/555 Carriage bolt p. 19
	DIN 9021 Washer p. 18		PFWHTG Siding panel screw black p. 20
	DIN 934 Hexagon nut p. 18		PFETT Flange head wood screw p. 20
	DIN 1587 Hexagon domed cap nut p. 18		PGWVZV Chipboard screw w. full thread PZ p. 20
	DIN 571 Hexagon coach screw p. 19		DIN 968C Tapping screw w. large head p. 21
			0ZBBKR Selfdrilling screw wafer head p. 21

DIY with BlackTop coating

	GB1125 Washer DIN 125A p. 24		GB1571 Hexagon coach screw DIN 571 p. 25
	GB1021 Washer DIN 9021 p. 24		GB1603 Carriage bolt DIN 603/555 p. 25
	GB1934 Hexagon nut DIN 934 p. 24		GB10WP Chipboard screw FH-Z p. 26
	GB1587 Hexagon domed cap nut DIN 1587 p. 24		GB1HTG Siding panel screw black p. 27
	GK1AF Cap for hexagon bolt/nut p. 24		GB1TTG Flange head wood screw p. 27

WE
BREATHE
FASTENERS®



FG Wood connectors
with BlackTop coating.

Quality by
pgb
europe





Cornice bracket 90°

FG0233

Art. ref.	EAN	h [mm]	l [mm]	w [mm]	s [mm]	Sales unit [pcs]
FG02330031501105	5410439268967	150	100	25	5	25



Hinge "Rustica"

FG0252

Art. ref.	EAN	d [mm]	l [mm]	h [mm]	s [mm]	Hole pattern	Sales unit [pcs]
FG02520031604005	5410439442633	16	400	44	5	Ø8,2/2 - Ø8,8/1	6
FG02520031606005	5410439442657	16	600	44	5	Ø8,2/3 - Ø8,8/1	10
FG02520031608005	5410439442671	16	800	44	5	Ø8,2/4 - Ø8,8/1	10
FG02520031610005	5410439442695	16	1000	44	5	Ø8,2/5 - Ø8,8/1	10



Hinge straight with point

FG0253

Art. ref.	EAN	d [mm]	l [mm]	h [mm]	s [mm]	Hole pattern	Sales unit [pcs]
FG02530031606005	5410439569231	16	600	45	5	Ø8,5/3	6
FG02530031607005	5410439569255	16	700	45	5	Ø8,5/3	6
FG02530031608005	5410439569323	16	800	45	5	Ø8,5/4	6
FG02530031610005	5410439569347	16	1000	45	5,5	Ø8,5/5	6
FG02530031612005	5410439569361	16	1200	45	5,5	Ø8,5/5	6
FG02530031802005	5410439569385	18	200	30	4	Ø8,5/2	10
FG02530031802505	5410439569446	18	250	30	4	Ø8,5/3	10
FG02530031803005	5410439569408	18	300	30	4	Ø8,5/3	10
FG02530031803505	5410439569422	18	350	30	4	Ø8,5/3	10
FG02530031804005	5410439569460	18	400	30	4	Ø8,5/4	10
FG02530031805005	5410439569484	18	500	30	4	Ø8,5/5	10





Shutter hinge T-model

FG0254

Art. ref.	EAN	d [mm]	l [mm]	b [mm]	s [mm]	Hole pattern	Sales unit [pcs]
FG02540031801505	5410439569590	18	150	30	4	Ø8,5/3	10
FG02540031802005	5410439569613	18	200	30	4	Ø8,5/3	10



Plate pintle

FG0255

Art. ref.	EAN	d [mm]	l [mm]	b [mm]	s [mm]	Hole pattern	Sales unit [pcs]
FG02550031645385	5410439569705	16	45	40	5	Ø6,2/6	10
FG02550031835305	5410439569729	16	40	33	4	Ø5,5/6	10



Pintle for concrete

FG0256

Art. ref.	EAN	d [mm]	l [mm]	b [mm]	s [mm]	Sales unit [pcs]
FG0256003181055	5410439625142	18	105	30	4	10



Pintle for bricklaying

FG0257

Art. ref.	EAN	d [mm]	l [mm]	b [mm]	s [mm]	Sales unit [pcs]
FG0257003181505	5410439625098	18	150	30	4	10



Lag screw pintle

FG0258

Art. ref.	EAN	d [mm]	l [mm]	h [mm]	s [mm]	Sales unit [pcs]
FG0258003161455	5410439624572	16	145	55	10	10
FG0258003181005	5410439624558	18	100	35	12	10



FG0259



Plate pintle Rustica

FG0260



Adjustable hinge

FG0265



Cross hinge light

FG0300



Cross hinge heavy duty

FG0301





Cross hinge heavy duty

FG0301

Art. ref.	EAN	w [mm]	l [mm]	s [mm]	Sales unit [pcs]
FG03010030404005	5410439482028	40	400	4	6
FG03010030405005	5410439482035	40	500	4	6
FG03010030406005	5410439482042	40	600	4	6



T-strap hinge

FG0302

Art. ref.	EAN	l [mm]	Sales unit [pcs]
FG03020031005	5410439628655	100	12
FG03020031255	5410439628679	125	12
FG03020031505	5410439628693	150	12



Farmer gate latch

FG0341

Art. ref.	EAN	a [mm]	b [mm]	s [mm]	Sales unit [pcs]
FG03410031200855	5410439318228	120	85	2	10



Gate latch

FG0345

Art. ref.	EAN	l [mm]	Hole pattern	Sales unit [pcs]
FG03450031605	5410439369077	160	Ø4,6/6	10



Kick-over latch

FG0348

Art. ref.	EAN	w [mm]	l [mm]	Sales unit [pcs]
FG03480030601305	5410439118927	60	130	10



Shutter catch "shepherdess"

FG0349

Art. ref.	EAN	d [mm]	l [mm]	Sales unit [pcs]
FG0349003101155	5410439367783	10	115	10



Slide bolt

FG0353

Art. ref.	EAN	w [mm]	l [mm]	s [mm]	d1 [mm]	Hole pattern	Sales unit [pcs]
FG03530030000655	5410439389273	65	50	1	10	-	12
FG03530030000805	5410439425018	80	55	1,25	12	-	12
FG03530030000905	5410439389303	90	65	1,5	14	-	12
FG03530030001005	5410439389310	100	50	-	-	Ø5,3/6 - Ø5,3/4	12



Slide bolt for padlock

FG0355

Art. ref.	EAN	w [mm]	l [mm]	s [mm]	d1 [mm]	Hole pattern	Sales unit [pcs]
FG03550030700805	5410439425025	70	80	1,5	12	Ø5/8	10
FG03550030850905	5410439425070	85	90	-	-	Ø5/8	10



Shelf bracket

FG0381

Art. ref.	EAN	w [mm]	l [mm]	h [mm]	Sales unit [pcs]
FG03810031150805	5410439272537	115	80	40	10
FG03810031601055	5410439273152	160	105	40	10
FG03810032351605	5410439272544	235	160	40	10
FG03810033152005	5410439272551	315	200	40	6





Ornamental shelf bracket

FG0384

Art. ref.	EAN	d [mm]	l [mm]	h [mm]	s [mm]	Hole pattern	Sales unit [pcs]
FG03840031001005	5410439272704	100	100	16	3	Ø5/5	10
FG03840031501505	5410439272711	150	150	13	3	Ø5/5	10
FG03840032002005	5410439272728	200	200	13	3	Ø5/5	10
FG03840032502505	5410439272735	250	250	13	3	Ø5/5	10



Design shelf bracket

FG0385

Art. ref.	EAN	d [mm]	l [mm]	h [mm]	s [mm]	Sales unit [pcs]
FG03850031401405	5410439272773	140	140	20	3	10
FG03850031901905	5410439272780	190	190	20	5	10
FG03850032402405	5410439272797	240	240	20	5	10

WE
BREATHE
FASTENERS®



pgb-fasteners with
BlackTop coating.





Quality by
europa
pgb





DIN 125A

Washer

Art. ref.	EAN	Ø	Sales unit [pcs]
00012500300603	5410439299589	M 6	200
00012500300803	5410439299596	M 8	200



DIN 9021

Washer

Art. ref.	EAN	Ø	Sales unit [pcs]
009021003006000183	5410439009805	M 6	200
009021003008000243	5410439025560	M 8	200



DIN 934

Hexagon nut

Art. ref.	EAN	Ø	Sales unit [pcs]
00093480300603	5410439299404	M 6	200
00093480300803	5410439299411	M 8	200



DIN 1587

Hexagon domed cap nut

Art. ref.	EAN	Ø	Sales unit [pcs]
00158760300603	5410439087896	M 6	200
00158760300803	5410439016032	M 8	200






Hexagon coach screw

DIN 571

Art. ref.	EAN	Ø [mm]	l [mm]	Sales unit [pcs]
000571003006000304	5410439149679	6	30	100
000571003006000404	5410439149686	6	40	100
000571003006000504	5410439149709	6	50	100
000571003006000604	5410439149716	6	60	100
000571003008000304	5410439149440	8	30	100
000571003008000404	5410439149457	8	40	100
000571003008000504	5410439149495	8	50	100
000571003008000604	5410439149501	8	60	100
000571003008000704	5410439149624	8	70	50
000571003010000504	5410439149648	10	50	50
000571003010000604	5410439149655	10	60	50
000571003010000804	5410439149662	10	80	50



Carriage bolt

DIN 603/555

Art. ref.	EAN	Ø	l [mm]	Sales unit [pcs]
000603003006000304	5410439148542	M 6	30	100
000603003006000404	5410439149419	M 6	40	100
000603003006000504	5410439149426	M 6	50	100
000603003006000604	5410439149433	M 6	60	100
000603003008000304	5410439149488	M 8	30	100
000603003008000404	5410439149495	M 8	40	100
000603003008000504	5410439149518	M 8	50	100
000603003008000554	5410439149532	M 8	55	100
000603003008000604	5410439149549	M 8	60	100
000603003008000704	5410439149556	M 8	70	50
000603003008000804	5410439149563	M 8	80	50
000603003008000904	5410439149600	M 8	90	50
000603003008001004	5410439149617	M 8	100	50



Siding panel screw black

PFWHTG

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Sales unit [pcs]
PFWHTGC73004000302	5410439607247	4	30	T 15	200
PFWHTGC73004000352	5410439104012	4	35	T 15	200
PFWHTGC73004000402	5410439296991	4	40	T 15	200
PFWHTGC73004000452	5410439297004	4	45	T 15	200
PFWHTGC73004000502	5410439297011	4	50	T 15	200
PFWHTGC73004000602	5410439297028	4	60	T 15	200
PFWHTGC73004000702	5410439115834	4	70	T 15	200
PFWHTGC73004000802	5410439115841	4	80	T 15	200
PFWHTGC73004500502	5410439297035	4,5	50	T 20	200
PFWHTGC73005000402	5410439297240	5	40	T 25	200
PFWHTGC73005000502	5410439297042	5	50	T 25	200
PFWHTGC73005000602	5410439297059	5	60	T 25	200
PFWHTGC73005000702	5410439297257	5	70	T 25	200
PFWHTGC73005000802	5410439297264	5	80	T 25	200



Flange head wood screw

PFETTG

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Sales unit [pcs]
PFETTG003006000303	5410439319676	6	30	T 30	100
PFETTG003006000403	5410439319683	6	40	T 30	100
PFETTG003006000503	5410439319690	6	50	T 30	100
PFETTG003008000403	5410439329385	8	40	T 40	50
PFETTG003008000503	5410439329392	8	50	T 40	50
PFETTG003008000803	5410439003957	8	80	T 40	50
PFETTG003008001003	5410439063982	8	100	T 40	50



Chipboard screw w. full thread PZ

PGWVZV

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Sales unit [pcs]
PGWVZV003003000163	5410439014861	3	16	PZ 1	200
PGWVZV003003000203	5410439482233	3	20	PZ 1	200
PGWVZV003003000253	5410439482240	3	25	PZ 1	200
PGWVZV003003000303	5410439482257	3	30	PZ 1	200





Chipboard screw w. full thread PZ

PGWVZV

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Sales unit [pcs]
PGWVZV003004000163	5410439008037	4	16	PZ 2	200
PGWVZV003004000203	5410439482271	4	20	PZ 2	200
PGWVZV003004000253	5410439482288	4	25	PZ 2	200
PGWVZV003004000303	5410439482295	4	30	PZ 2	200
PGWVZV003004000403	5410439482301	4	40	PZ 2	200
PGWVZV003004000503	5410439482318	4	50	PZ 2	200
PGWVZV003005000403	5410439482332	5	40	PZ 2	200
PGWVZV003005000503	5410439482349	5	50	PZ 2	200
PGWVZV003006000502	5410439299572	6	50	PZ 3	200



Tapping screw w. large head

DIN 968C

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Sales unit [pcs]
0968CT003003501603	5410439377850	3,5	16	T 15	200
0968CT003003501903	5410439377867	3,5	19	T 15	200
0968CT003003901603	5410439377874	3,9	16	T 20	200
0968CT003003901903	5410439377881	3,9	19	T 20	200
0968CT003004201603	5410439377904	4,2	16	T 20	200
0968CT003004201903	5410439377898	4,2	19	T 20	200
0968CT003004202503	5410439377911	4,2	25	T 20	200
0968CT003004801603	5410439377928	4,8	16	T 25	200
0968CT003004801903	5410439377935	4,8	19	T 25	200
0968CT003004802203	5410439377942	4,8	22	T 25	200



Selfdrilling screw wafer head

OZBBKR

Art. ref.	EAN	Ø [mm]	l [mm]	Sales unit [pcs]
OZBBKR003004201303	5410439299442	4,2	13	1000
OZBBKR003004201603	5410439299459	4,2	16	1000
OZBBKR003004201903	5410439299466	4,2	19	1000
OZBBKR003004202503	5410439299473	4,2	25	500
OZBBKR003004203203	5410439299480	4,2	32	500
OZBBKR003004801903	5410439091350	4,8	19	100

WE
BREATHE
FASTENERS®



pgb-fasteners DIY with BlackTop coating.



Quality by
— europe
pgb



Washer DIN 125A

GB1125

Art. ref.	EAN	Ø	Blist. qty [pcs]	Sales unit [pcs]
GB1125060000	5410439098069	M 6	30	12
GB1125080000	5410439098076	M 8	20	12



Washer DIN 9021

GB1021

Art. ref.	EAN	Ø	Blist. qty [pcs]	Sales unit [pcs]
GB1021060000	5410439097888	M 6	20	12
GB1021080000	5410439097895	M 8	12	12



Hexagon nut DIN 934

GB1934

Art. ref.	EAN	Ø	Blist. qty [pcs]	Sales unit [pcs]
GB1934060000	5410439098311	M 6	20	12
GB1934080000	5410439098328	M 8	12	12



Hexagon domed cap nut DIN 1587

GB1587

Art. ref.	EAN	Ø	Blist. qty [pcs]	Sales unit [pcs]
GB1587060000	5410439098182	M 6	12	12
GB1587080000	5410439098199	M 8	6	12



Cap for hexagon bolt/nut

GK1AF

Art. ref.	EAN	Ø	SW	Blist. qty [pcs]	Sales unit [pcs]
GK1AF4060000	5410439074858	M 6	10	20	6





GK1AF

Cap for hexagon bolt/nut


Art. ref.	EAN	Ø	SW	Blist. qty [pcs]	Sales unit [pcs]
GK1AF4080000	5410439074865	M 8	10	12	6



GB1571

Hexagon coach screw DIN 571


Art. ref.	EAN	Ø [mm]	l [mm]	Blist. qty [pcs]	Sales unit [pcs]
GB1571060030	5410439098083	6	30	12	6
GB1571060040	5410439098090	6	40	12	6
GB1571060050	5410439098106	6	50	12	6
GB1571060060	5410439098113	6	60	8	6
GB1571080030	5410439098120	8	30	6	6
GB1571080035	5410439098137	8	35	6	6
GB1571080040	5410439098144	8	40	6	6
GB1571080050	5410439098151	8	50	6	6
GB1571080060	5410439098168	8	60	6	6
GB1571080070	5410439098175	8	70	6	6



GB1603

Carriage bolt DIN 603/555

Art. ref.	EAN	Ø	l [mm]	Blist. qty [pcs]	Sales unit [pcs]
GB1603060030	5410439098205	M 6	30	6	6
GB1603060040	5410439098212	M 6	40	6	6
GB1603060050	5410439098229	M 6	50	6	6
GB1603060060	5410439098236	M 6	60	6	6
GB1603060070	5410439098243	M 6	70	4	6
GB1603080030	5410439098250	M 8	30	6	6
GB1603080040	5410439098267	M 8	40	6	6
GB1603080045	5410439098274	M 8	45	6	6
GB1603080050	5410439098281	M 8	50	6	6
GB1603080055	5410439098298	M 8	55	4	6
GB1603080060	5410439098304	M 8	60	4	6
GB1603080070	5410439074773	M 8	70	6	3
GB1603080080	5410439075206	M 8	80	6	3



Carriage bolt DIN 603/555

GB1603

Art. ref.	EAN	Ø	l [mm]	Blist. qty [pcs]	Sales unit [pcs]
GB1603080090	5410439074780	M 8	90	6	3
GB1603080100	5410439075213	M 8	100	6	3



Chipboard screw FH-Z

GB10WP

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Blist. qty [pcs]	Sales unit [pcs]
GB10WP030020	5410439097901	3	20	PZ 1	25	12
GB10WP030025	5410439097918	3	25	PZ 1	25	12
GB10WP030030	5410439097925	3	30	PZ 1	25	12
GB10WP035016	5410439097932	3,5	16	PZ 1	25	12
GB10WP040016	5410439097949	4	16	PZ 2	25	12
GB10WP040020	5410439097956	4	20	PZ 2	25	12
GB10WP040025	5410439097963	4	25	PZ 2	25	12
GB10WP040030	5410439097970	4	30	PZ 2	25	12
GB10WP040040	5410439097987	4	40	PZ 2	20	12
GB10WP040050	5410439097994	4	50	PZ 2	20	12
GB10WP045016	5410439098007	4,5	16	PZ 2	25	12
GB10WP045020	5410439098014	4,5	20	PZ 2	25	12
GB10WP045030	5410439098021	4,5	30	PZ 2	25	12
GB10WP050040	5410439098038	5	40	PZ 2	10	12
GB10WP050050	5410439098045	5	50	PZ 2	10	12
GB10WP060050	5410439098052	6	50	PZ 3	10	12





Siding panel screw black

GB1HTG

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Blist. qty [pcs]	Sales unit [pcs]
GB1HTG040030	5410439098335	4	30	T 15	50	6
GB1HTG040040	5410439098342	4	40	T 15	50	6
GB1HTG040045	5410439098359	4	45	T 15	40	6
GB1HTG040050	5410439098366	4	50	T 15	40	6
GB1HTG040060	5410439098373	4	60	T 15	25	6
GB1HTG045050	5410439098380	4,5	50	T 20	40	6
GB1HTG050040	5410439098397	5	40	T 25	40	6
GB1HTG050050	5410439098403	5	50	T 25	40	6
GB1HTG050060	5410439098410	5	60	T 25	40	6
GB1HTG050070	5410439075022	5	70	T 25	25	3
GB1HTG050080	5410439075039	5	80	T 25	20	3



Flange head wood screw

GB1TTG

Art. ref.	EAN	Ø [mm]	l [mm]	Drive [recess]	Blist. qty [pcs]	Sales unit [pcs]
GB1TTG060030	5410439098427	6	30	T 30	6	6
GB1TTG060040	5410439098434	6	40	T 30	6	6
GB1TTG060050	5410439098441	6	50	T 30	6	6
GB1TTG080040	5410439098458	8	40	T 40	6	6
GB1TTG080050	5410439098489	8	50	T 40	6	6
GB1TTG080060	5410439098496	8	60	T 40	6	6
GB1TTG080080	5410439075220	8	80	T 40	6	3
GB1TTG080100	5410439075237	8	100	T 40	6	3

Notes



Notes

Notes



Notes



At pgb-Europe
we invest in
green energy on
a daily base.

Follow us via

LinkedIn, Instagram,
Facebook & Youtube

Contact us.

pgb-Europe

Logistics centre

Gontrode Heirweg 170
9090 Melle
Belgium
T: +32 9 272 70 70
info@pgb-europe.com

www.pgb-europe.com

pgb-Polska

Production plant

Ul. Fryderyka
Wilhelma Redena 3
41 - 807 Zabrze, Polska
T: +48 (32) 330 26 10
biuro@pgb-polska.com

www.pgb-polska.com

pgb-France

Sales office

25 Rue du Champ des Oiseaux
59230 Saint-Amand-les-Eaux
France
T: +33 (0)3 27 21 56 80
info@pgb-france.com

www.pgb-france.com