DoP FG153001 page 1 / 3

# **FG153**



Issued in accordance with the Construction Products Directive (CPD) 305/2011/EU. pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

# ETAG 015 – three-dimensional nailing plates

-----

 Unique identification code of the product-type: FG153

2. Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

see annex 1 to this document

3. Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:

Generic type:	Roof ridge fixing right/left				
Material:	Steel S250GD + Z (min Z275)				
Corrosion protection:	Pre-galvanized				
Service class:	Service class I and II				
Fire resistance:	NPD				
Reaction to fire:	Euroclass A1				
Safety in use:	Not relevant				
Protection against noise:	Not relevant				
Energy, economy and	Not relevant				
heat retention:					
Intended use:	Wood connector for wood to wood connections				

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):

BB Stanz- und Umformtechnik GmbH- Nordhäuser Str. 42 - D-06536 Berga

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):

**NOT RELEVANT** 

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 2+



# **DECLARATION OF PERFORMANCE**

DoP FG153001 page 2 / 3

7. In case of the declaration of performance concerning a construction product covered by a harmonized

### **NOT RELEVANT**

8. In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:

standard: ETAG 015 certificate: ETA-08/0186

performed by: ETA DANMARK A/S

under system: 2+

and issued: 0769-CPD-6015

9. Declared performance:

Essential characteristics	Declared performance	Guideline
Description and dimensions	ETA 08-0186, annex A	ETAG 015
Properties of materials - Wood based member - Nails	ETA 08-0186, p 3-5	
Load capacity for characteristic resistances	ETA 08-0186, annex B	ETAG 015

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of pgb-Europe nv.

Place and date of issue	Signature				
Melle, 12/05/2014	nv pgb-Europe sa Gontrode Heirweg 170 9090 MELLE BE 0425 888 396	Johannes Heye, product manager			



# **DECLARATION OF PERFORMANCE**

DoP FG153001 page 3 / 3

### **Annex 1: Product overview**

# ROOF RIDGE FIXING L+R VERBINDINGSHOEK L+R gording/keper Material: Stael PATTES DE SOLIVAGE G+D Surface: Sendzimir zinc plated Material: Stahl Oberfläche: sendzimir verzinkt Naterial: Steel PATTES DE SOLIVAGE G+D Surface: Sendzimir zinc plated Material: Stahl Oberfläche: sendzimir verzinkt Naterial: Stahl Oberfläche: sendzimir verzinkt

Price Prijs - Prix		Afmeti	Dimensions in mm Afmetingen in mm - Dimensions en mm - Abmessungen in mm		Packing Unit Verpakking / Emballage / Packung			
Art.Nr	EAN Nr.	L/R	s	W	L			
FG153,32170LZ	5410439342896	links	2,00	32	170		****	
FG153,32210LZ	5410439344593	links	2,00		210		****	
FG153,32250LZ	5410439342940	links	2,00		250		****	
FG153,32290LZ	5410439390699	links	2,00		290		****	
FG153,32170RZ	5410439342872	rechts	2,00	32	170		****	
FG153,32210RZ	5410439342919	rechts	2,00		210		****	
FG153,32250RZ	5410439342964	rechts	2,00		250		****	
FG153,32290RZ	5410439390712	rechts	2,00		290		****	

pgb