

FG236



Issued in accordance with the Construction Products Directive (CPD) 305/2011/EU.
pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

ETAG 015 – three-dimensional nailing plates

1. *Unique identification code of the product-type:*
FG236
2. *Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*
see annex 1 to this document
3. *Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:*

Generic type:	<i>Assembly square</i>
Material:	<i>Steel S250GD + Z (min Z275)</i>
Corrosion protection:	<i>Pre-galvanized</i>
Service class:	<i>Service class I and II</i>
Fire resistance:	<i>NPD</i>
Reaction to fire:	<i>Euroclass A1</i>
Safety in use:	<i>Not relevant</i>
Protection against noise:	<i>Not relevant</i>
Energy, economy and heat retention:	<i>Not relevant</i>
Intended use:	<i>Wood connector for timber to timber connections</i>

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):*
BB Stanz- und Umformtechnik GmbH- Nordhäuser Str. 42 - D-06536 Berga
5. *Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):*
NOT RELEVANT
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*
System 2+

DECLARATION OF PERFORMANCE

DoP FG236001A page 2 / 3

7. *In case of the declaration of performance concerning a construction product covered by a harmonized*

NOT RELEVANT

8. *In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:*

standard: ETAG 015
certificate: ETA-09/0355
performed by: ETA DANMARK A/S
under system: 2+
and issued: 0769-CPD-6036


9. *Declared performance:*

Essential characteristics	Declared performance	Guideline
Description and dimensions	ETA 09/0355, annex A	ETAG 015
Properties of materials - Wood based member - Nails	ETA 09/0355, p 5-8	
Load capacity for characteristic resistances	ETA 09/0355, annex B	ETAG 015

10. *The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of pgb-Europe nv.*

Place and date of issue	Signature
Melle, 12/05/2014	<div style="border: 1px solid black; padding: 2px; display: inline-block;">nv pgb-Europe sa Gontrode Heirweg 170 9090 MELLE BE 0425 888 396</div> Johannes Heye, product manager 

Annex 1 : Product overview

Steel		www.pgb-europe.com		€
ASSEMBLY SQUARE		VERSTERKINGSHOEK multigaatjes		FG236 - FG241 Assembly square
Material : Steel		Materiaal : Staal Oppervlak : sendzimir verzinkt Type : materiaaldikte 2,0 mm		
Surface : sendzimir verzinkt		EQUERRE multi trous		
Type : thickness 2,0 mm		Matière : Acier Surface : zingué sendzimir Type : épaisseur 2,0 mm		
		LOCHPLATTENWINKEL		
		Material : Stahl Oberfläche : sendzimir verzinkt Typ : starke 2,0 mm		

Art.Nr	EAN Nr.	Dimensions in mm				L	Packing Unit	
		H	s	W			Verpakking / Emballage / Packung	
FG236,020040Z	5410439322461	40	2,00	20,00	40	*****	200	
FG236,030030Z	5410439209359	30	2,00	30,00	30	*****	100	
FG236,040040Z	5410439322485	40	2,00	40,00	40	*****	100	
FG236,040050Z	5410439322508	50	2,00		50	*****	100	
FG236,040060Z	5410439322645	60	2,00		60	*****	100	
FG236,050050Z	5410439627658	50	2,00	50,00	50	*****	100	
FG236,050060Z	5410439322669	60	2,00		60	*****	50	
FG236,060060Z	5410439322683	60	2,00	60,00	60	*****	50	
FG236,100040Z	5410439686150	40	2,00	100,0	40	*****	10	
FG236,140040Z	5410439702164	40	2,00	140,0	40	*****	50	
FG236,200040Z	5410439702171	40	2,00	200,0	40	*****	50	