

FG236



Issued in accordance with the Construction Products Directive (CPD) 305/2011/EU.
pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

ETAG 015 – three-dimensional nailing plates

1. *Unique identification code of the product-type:*
FG236
2. *Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*
see annex 1 to this document
3. *Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:*

Generic type:	Assembly square
Material:	Stainless steel A2
Service class:	Service class I, II and III
Fire resistance:	NPD
Reaction to fire:	Euroclass A1
Safety in use:	Not relevant
Protection against noise:	Not relevant
Energy, economy and heat retention:	Not relevant
Intended use:	Wood connector for timber to timber connections

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):*
BB Stanz- und Umformtechnik GmbH- Nordhäuser Str. 42 - D-06536 Berga
5. *Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):*
NOT RELEVANT
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*
System 2+

DECLARATION OF PERFORMANCE

DoP FG236101 page 2 / 3

7. *In case of the declaration of performance concerning a construction product covered by a harmonized*

NOT RELEVANT

8. *In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:*

standard: ETAG 015
certificate: ETA-09/0355
performed by: ETA DANMARK A/S
under system: 2+
and issued: 0769-CPD-6036

9. *Declared performance:*

Essential characteristics	Declared performance	Guideline
Description and dimensions	ETA 09-0355, annex A	ETAG 015
Properties of materials - Wood based member - Nails	ETA 08-0355, p 5-8	
Load capacity for characteristic resistances	ETA 08-0355, annex B	ETAG 015

10. *The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of pgb-Europe nv.*

Place and date of issue	Signature
Melle, 12/05/2014	<div style="border: 1px solid black; padding: 2px; display: inline-block;">nv pgb-Europe sa Gontrode Heirweg 170 9090 MELLE BE 0425 888 396</div> Johannes Heye, product manager 

Annex 1 : Product overview

ASSEMBLY SQUARE VERSTERKINGSHOEK
multigaatjes

Material : Stainless steel Materiaal : Inox A2
Surface : plain Oppervlak : blank
Type : thickness 2,0mm Type : materiaaldikte 2,0mm


EQUERRE
multi trous

Material : Stainless steel Matière : Inox A2
Surface : plain Surface : brut
Type : thickness 2,0mm Type : épaisseur 2,0mm

LOCHPLATTENWINKEL

Material : Edelstahl A2
Oberfläche : roh
Typ : starke 2,0mm

FG236 - FG241 Assembly square



Art.Nr	EAN Nr.	Dimensions in mm				Packing Unit
		H	s	W	L	
FG236,030030A2	5410439375269	30	2,00	30	30	***** 50
FG236,040040A2	5410439361781	40	2,00	40	40	***** 50
FG236,040050A2	5410439361767	50	2,00		50	***** 50
FG236,040060A2	5410439361705	60	2,00		60	***** 50
FG236,060040A2	5410439361743	40	2,00	60	40	***** 50
FG236,060060A2	5410439361729	60	2,00		60	***** 50