

00GPF



Issued in accordance with the Construction Products Directive (CPD) 305/2011/EU.
pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

EN 14566 2008+A1 2009 – Mechanical fasteners for gypsum plasterboard systems

1. *Unique identification code of the product-type:*
00GPF
2. *Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*
See annex 1 to this document
3. *Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:*

Generic type:	Fermacell® screws with hilo thread and reduced head with nibs, Phillips recess
Material:	Carbon steel ASTM-SAE C1022 (case hardened)
Corrosion protection:	Black phosphate, above class 24
Reaction to fire:	Classification A1 according to EN13501-1
Intended use:	Mechanical fasteners for the fixing of gypsum Fermacell® panels

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):*
pgb-Europe nv – Gontrode Heirweg 170 – 9090 Melle – Belgium
5. *Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):*
NOT RELEVANT
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*
System 4
7. *In case of the declaration of performance concerning a construction product covered by a harmonized*

standard: EN 14566:2008-A1 2009
under system: 4
and issued: Initial Type Test report n° VF S1106 02 01 - VF S1106 03 01

8. *In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:*
NOT RELEVANT

DECLARATION OF PERFORMANCE

DoP 00GPF001 page 2 / 3

9. Declared performance:

Essential characteristics	Performance
Reaction to fire (in exposed situations)	A1
Flexural strength	PASS

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue	Signature
Melle, 01/07/2013	<div data-bbox="603 779 906 900" style="border: 1px solid black; padding: 2px;">nv pgb-Europe sa Gontrode Heirweg 170 9090 MELLE BE 0425 888 396</div> Johannes Heye, product manager 

Annex 1 : Product overview

0GGPF

Fermacell® screws with reduced head, Phillips recess
with HiLo thread and needle point for mounting on steel profiles

Fermacell® schroef met gereduceerde kop, Phillips
met HiLo draad en scherpe punt, voor montage op metalen profielen


Vis Fermacell® pour plaques de plâtre tête réduite, empreinte Phillips
avec filet HiLo et pointe aiguë, pour montage sur profiles en métal



Fermacell® Schraube mit kleinem Senkkopf, Kreuzschlitz PH
mit HiLo-Gewinde und Nadelspitze, für Metallprofile ohne Vorbohren

FOS
Black

0,7 mm

CE
CN 14566



Art, Nr, [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
0GGPF,39019 FOS	5410439147392	3,9	19	PH 2	7,0	1000	16000
0GGPF,39025 FOS	5410439150224	3,9	25	PH 2	7,0	1000	16000
0GGPF,39030 FOS	5410439147408	3,9	30	PH 2	7,0	1000	12000
0GGPF,39035 FOS	5410439150231	3,9	35	PH 2	7,0	1000	12000
0GGPF,39045 FOS	5410439150248	3,9	45	PH 2	7,0	1000	8000
0GGPF,39055 FOS	5410439150255	3,9	55	PH 2	7,0	1000	6000