

00GPS



Issued in accordance with the Construction Products Directive (CPD) 305/2011/EU.
pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

EN 14566 2008+A1 2009 – Mechanical fasteners for gypsum plasterboard systems

1. *Unique identification code of the product-type:*
00GPS
2. *Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*
See annex 1 to this document
3. *Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:*

Generic type:	Drywall screws with fine thread and trumpet head, Phillips recess
Material:	Carbon steel ASTM-SAE C1018-C1022 (case hardened)
Corrosion protection:	Black phosphate, above class 48
Reaction to fire:	Classification A1 according to EN13501-1
Intended use:	Mechanical fasteners for the fixing of gypsum plasterboard on wooden battens or metal studs

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):*
pgb-Europe nv – Gontrode Heirweg 170 – 9090 Melle – Belgium
5. *Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):*
NOT RELEVANT
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*
System 4
7. *In case of the declaration of performance concerning a construction product covered by a harmonized*

standard: EN 14566:2008-A1 2009
under system: 4
and issued: Initial Type Test report n° VF S1106 02 01 - VF S1106 03 01

8. *In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:*
NOT RELEVANT

DECLARATION OF PERFORMANCE

DoP 00GPS001 page 2 / 5

9. Declared performance:

Essential characteristics	Performance
Reaction to fire (in exposed situations)	A1
Flexural strength	PASS

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue	Signature
Melle, 01/07/2013	<div data-bbox="603 779 906 900" style="border: 1px solid black; padding: 2px;">nv pgb-Europe sa Gontrode Heirweg 170 9090 MELLE BE 0425 888 396</div> Johannes Heye, product manager 

Annex 1 : Product overview

Drywall screws with trumpet head, Phillips recess
with fine thread and needle point for mounting on steel profiles

Gipskartenschroef met trompetkop, Phillips
met fijne draad en scherpe punt, voor montage op metalen profielen

Vis pour plaques de plâtre tête trompette, empreinte Phillips
avec filet fin et pointe aiguë, pour montage sur profilés en métal


Schnellbauschraube mit Trompetenkopf, Kreuzschlitz PH
mit Feingewinde und Nadelspitze, für Metallprofile ohne Vorbohren



0KGPS

FOS
Black

0,7 mm

CE
PH 1 1000



Art. Nr. [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
0KGPS,35025 FOS	5410439006019	3,5	25	PH 2	8,5	200	12000
0KGPS,35035 FOS	5410439006026	3,5	35	PH 2	8,5	200	9600
0KGPS,35045 FOS	5410439006033	3,5	45	PH 2	8,5	200	7200
0KGPS,35055 FOS	5410439100038	3,5	55	PH 2	8,5	200	4800
0KGPS,42065 FOS	5410439006064	4,2	65	PH 2	8,5	200	3200
0KGPS,42075 FOS	5410439006071	4,2	75	PH 2	8,5	200	3200
0KGPS,42085 FOS	5410439006088	4,2	85	PH 2	8,5	200	1600

0GGPS

Drywall screws with trumpet head, Phillips recess
with fine thread and needle point for mounting on steel profiles




Gipskartenschroef met trompetkop, Phillips
met fijne draad en scherpe punt, voor montage op metalen profielen



Vis pour plaques de plâtre tête trompette, empreinte Phillips
avec filet fin et pointe aiguë, pour montage sur profils en métal



Schnellbauschraube mit Trompetenkopf, Kreuzschlitz PH
mit Feingewinde und Nadelspitze, für Metallprofile ohne Vorbohren



Art. Nr. [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
0GGPS,35025 FOS	5410439006200	3,5	25	PH 2	8,5	1000	16000
0GGPS,35035 FOS	5410439006217	3,5	35	PH 2	8,5	1000	12000
0GGPS,35045 FOS	5410439006224	3,5	45	PH 2	8,5	1000	8000
0GGPS,35055 FOS	5410439006231	3,5	55	PH 2	8,5	1000	6000
0GGPS,42055 FOS	5410439006248	4,2	65	PH 2	8,8	500	4000
0GGPS,42075 FOS	5410439006255	4,2	75	PH 2	8,8	500	3000
0GGPS,42085 FOS	5410439006262	4,2	85	PH 2	8,8	500	3000
0GGPS,48090 FOS	5410439184052	4,8	90	PH 2	8,8	200	1600
0GGPS,48100 FOS	5410439686617	4,8	100	PH 2	8,8	200	1600
0GGPS,48110 FOS	5410439686624	4,8	110	PH 2	8,8	200	1600
0GGPS,48120 FOS	5410439686570	4,8	120	PH 2	8,8	200	1600
0GGPS,48130 FOS	5410439686587	4,8	130	PH 2	8,8	200	2400
0GGPS,48140 FOS	5410439686594	4,8	140	PH 2	8,8	200	1600
0GGPS,48150 FOS	5410439686600	4,8	150	PH 2	8,8	100	1200
0GGPS,48160 FOS	5410439686563	4,8	160	PH 2	8,8	100	1200

DECLARATION OF PERFORMANCE

0BGPS

Drywall screws with trumpet head, Phillips recess
with fine thread and needle point for mounting on steel profiles, collated



Gipskartenschroef met trompetkop, Phillips
met fijne draad en scherpe punt, voor montage op metalen profielen, op band



Vis pour plaques de plâtre tête trompette, empreinte Phillips
avec filet fin et pointe aiguë, pour montage sur profilles en métal, sur bande

Schnellbauschraube mit Trompetenkopf, Kreuzschlitz PH
mit Feingewinde und Nadelspitze, für Metallprofile ohne Vorbohren, auf Band





Art. Nr. [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
0BGPS,35025 FOS	5410439093705	3,5	25	PH 2	8,5	1000	
0BGPS,35035 FOS	5410439093712	3,5	35	PH 2	8,5	1000	
0BGPS,35045 FOS	5410439093729	3,5	45	PH 2	8,5	1000	
0BGPS,35055 FOS	5410439093736	3,5	55	PH 2	8,5	1000	

0EGPS

Drywall screws with trumpet head, Phillips recess
with fine thread and needle point for mounting on steel profiles, packed in bucket



Gipskartenschroef met trompetkop, Phillips
met fijne draad en scherpe punt, voor montage op metalen profielen, in emmer



Vis pour plaques de plâtre tête trompette, empreinte Phillips
avec filet fin et pointe aiguë, pour montage sur profilles en métal, dans seau

Schnellbauschraube mit Trompetenkopf, Kreuzschlitz PH
mit Feingewinde und Nadelspitze, für Metallprofile ohne Vorbohren, in Eimer





Art. Nr. [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
0EGPS,35025 FOS	5410439434942	3,5	25	PH 2	8,5	1	
0EGPS,35035 FOS	5410439434959	3,5	35	PH 2	8,5	1	
0EGPS,35045 FOS	5410439434966	3,5	45	PH 2	8,5	1	