

## 00GPZ



Issued in accordance with the Construction Products Directive (CPD) 305/2011/EU.  
pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

### EN 14566 2008+A1 2009 – Mechanical fasteners for gypsum plasterboard systems

---

1. *Unique identification code of the product-type:*  
**00GPZ**
2. *Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*  
**See annex 1 to this document**
3. *Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:*

<b>Generic type:</b>	Selfdrilling drywall screws with fine thread and trumpet head, Phillips recess
<b>Material:</b>	Carbon steel ASTM-SAE C1022 (case hardened)
<b>Corrosion protection:</b>	Black phosphate, above class 24
<b>Reaction to fire:</b>	Classification A1 according to EN13501-1
<b>Intended use:</b>	Mechanical fasteners for the fixing of gypsum plasterboard on metal studs

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):*  
**pgb-Europe nv – Gontrode Heirweg 170 – 9090 Melle – Belgium**
5. *Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):*  
**NOT RELEVANT**
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*  
**System 4**
7. *In case of the declaration of performance concerning a construction product covered by a harmonized*

**standard:** EN 14566:2008-A1 2009  
**under system:** 4  
**and issued:** Initial Type Test report n° VF S1106 02 01 - VF S1106 03 01

8. *In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:*  
**NOT RELEVANT**
-

# DECLARATION OF PERFORMANCE

DoP 00GPZ001 page 2 / 3

9. Declared performance:

Essential characteristics	Performance
Reaction to fire (in exposed situations)	A1
Flexural strength	PASS

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue	Signature
Melle, 01/07/2013	<div data-bbox="603 815 906 925" style="border: 1px solid black; padding: 2px;">nv <b>pgb-Europe sa</b> Gontrode Heirweg 170 9090 MELLE BE 0425 888 396</div> Johannes Heye, product manager 

## Annex 1 : Product overview

**0GGPZ**

**Selfdrilling drywall screws with trumpet head, Phillips recess**  
with fine thread, for mounting on steel profiles



**Zelfborende gipskartonschroef met trompetkop, Phillips**  
met fijne draad, voor montage op metalen profielen



**Vis autoforante pour plaques de plâtre tête trompette, empreinte Phillips**  
avec filet fin, pour montage sur profiles en métal

**Schnellbauschraube mit Bohrspitze und Trompetenkopf, Kreuzschlitz PH**  
mit Feingewinde, für Metallprofile ohne Vorbohren





Art, Nr, [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
0GGPZ,35025 FOS	5410439096935	3,5	25	PH 2	8,5	1000	16000
0GGPZ,35035 FOS	5410439096942	3,5	35	PH 2	8,5	1000	12000
0GGPZ,35045 FOS	5410439096959	3,5	45	PH 2	8,5	1000	6000
0GGPZ,35055 FOS	5410439160650	3,5	55	PH 2	8,5	1000	6000

**0KGPZ**

**Selfdrilling drywall screws with trumpet head, Phillips recess**  
with fine thread, for mounting on steel profiles



**Zelfborende gipskartonschroef met trompetkop, Phillips**  
met fijne draad, voor montage op metalen profielen



**Vis autoforante pour plaques de plâtre tête trompette, empreinte Phillips**  
avec filet fin, pour montage sur profiles en métal

**Schnellbauschraube mit Bohrspitze und Trompetenkopf, Kreuzschlitz PH**  
mit Feingewinde, für Metallprofile ohne Vorbohren





Art, Nr, [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
0KGPZ,35025 FOS	5410439208758	3,5	25	PH 2	8,5	200	9600
0KGPZ,35035 FOS	5410439208765	3,5	35	PH 2	8,5	200	9600
0KGPZ,35045 FOS	5410439208772	3,5	45	PH 2	8,5	200	7200