

POGPS



Issued in accordance with the Construction Products Directive (CPD) 305/2011/EU.
pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

EN 14566 2008+A1 2009 – Mechanical fasteners for gypsum plasterboard systems

1. *Unique identification code of the product-type:*
POGPS
2. *Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):*
See annex 1 to this document
3. *Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:*

Generic type:	Drywall screws with fine thread and trumpet head with cutting edge, Phillips recess
Material:	Carbon steel ASTM-SAE C1022 (case hardened)
Corrosion protection:	Black phosphate, above class 48
Reaction to fire:	Classification A1 according to EN13501-1
Intended use:	Mechanical fasteners for the fixing of gypsum plasterboard on wooden battens or metal studs

4. *Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):*
pgb-Europe nv – Gontrode Heirweg 170 – 9090 Melle – Belgium
5. *Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):*
NOT RELEVANT
6. *System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:*
System 4
7. *In case of the declaration of performance concerning a construction product covered by a harmonized*

standard: EN 14566:2008-A1 2009
under system: 4
and issued: Initial Type Test report n° VF S1106 02 01 - VF S1106 03 01

8. *In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:*
NOT RELEVANT
-

DECLARATION OF PERFORMANCE

DoP POGPS001 page 2 / 3

9. Declared performance:

Essential characteristics	Performance
Reaction to fire (in exposed situations)	A1
Flexural strength	PASS

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue	Signature
Melle, 01/07/2013	<div data-bbox="603 815 906 925" style="border: 1px solid black; padding: 2px;">nv pgb-Europe sa Gontrode Heirweg 170 9090 MELLE BE 0425 888 396</div> Johannes Heye, product manager 

Annex 1 : Product overview

Professional drywall screws with trumpet head, Phillips recess
with cutting part under the head, fine thread and needle point

Professionele gipskartenschroeven met trompetkop, Phillips
met snijrand onder de kop, fijne draad en scherpe punt

Vis professionnelle pour plaques de plâtre tête trompette, empreinte Phillips
avec partie coupante sous la tête, filet fin et pointe aiguë




Profi Schnellbauschraube mit Trompetenkopf, Kreuzschlitz PH
mit Schneiderand unter dem Kopf, Feingewinde und Nadelspitze











Art. Nr. [mm]	EAN code	D [mm]	L [mm]	H [mm]	dk [mm]		
PGGPS,35025 FOS	5410439430210	3,5	25	PH 2	8,5	1000	16000
PGGPS,35035 FOS	5410439430227	3,5	35	PH 2	8,5	1000	12000
PGGPS,35045 FOS	5410439430234	3,5	45	PH 2	8,5	1000	8000
PGGPS,42065 FOS	5410439323833	4,2	65	PH 2	8,5	500	4000
PGGPS,42075 FOS	5410439323840	4,2	75	PH 2	8,5	500	3000
PGGPS,42085 FOS	5410439323857	4,2	85	PH 2	8,5	500	3000